



MOVEMENT CHECKING JIG WITH A TILT AND TURNING STAGE








INSPECTION OF THE WORKPIECE IS A TIME CONSUMING AND INEFFICIENT PROCESS



SINCE THE CURRENT TILTING JIG CAN ONLY BE MOVED IN TWO DIRECTIONS (FRONT AND BACK), ALL MOVEMENT ON THE WORKPIECE COULD NOT BE CHECKED IN ONE LOADING, SIGNIFICANTLY AFFECTING THE AMOUNT OF TIME WORKERS SPEND DURING INSPECTION.



RC-60 TILTING AND TURNING **STAGE**





FREE ANGLE POSITIONING



COMBINABLE WITH OTHER MIRUC STAGES.



STAGE SURFACE: 60MM X 60MM



MOVEMENT: 180° REFRACTION, 360° ROTATION (CAN BE TURNED FREELY)



WEIGHT: 0.5KG



MAIN BODY: ALUMINUM ALLOY SURFACE PROCESSING: SATIN BLACK ANODIZED ALUMINUM

APPLICATION POINT

COMPARED WITH ALTERNATELY PILING TWO TILT STAGES FOR INSPECTION, THIS PRODUCT IS VERY HANDY BECAUSE IT HAS THE CAPACITY TO SWIVEL (TILT AND TURN). ENABLING THE USER TO COMPLETELY CHECK A LOADED ITEM IN DIFFERENT ANGLES.

